


PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

MT Series



Compact, Low Profile
High Rendering, 100% Diffusion

Trimless, No Visible Hardware
Trimless appearance for recessed applications and millwork

Made in USA
Fabricated with high quality American aluminum and premium UV stable optics

Custom Lengths
Pre-assembled: ≤ 8 ft. (96 in)
Assembly Required: > 8 ft. (96 in)

Must be installed in accordance with
NEC 410.16 for use in clothing closet
spaces

See separate installation instructions
Patent Pending - Made in the USA



PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

Component of a complete system including: Aion LED A-Track Light Engine, Aion LED A-Track housing with diffuser lens, & Aion LED driver (power supply). Dimmer not included. Approved dimmers, controls, power supplies, cable, & other components only. Contact Aion LED for questions regarding compatibility. Electrician installed. Strictly adhere to NEC & local building code. Limited 5-year warranty against manufacturing defects only, does not cover labor; voided by: inadequate ventilation, field modifications, installation by unqualified personnel, unapproved controls, drivers, cabling, other devices, not following installation guidelines & protocol, general negligence. Installer assumes all liability with regard to property & safety. This product is UL listed. See separate "Aion LED Warranty Terms" & additional instructional materials for more information. Authorized installers only. Systems tested prior to shipping.

PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

Customization Options

MT Series fixtures are semi custom and made to order.

Lens

Frosted

Finish

Anodized Silver
Custom Color

Length

Custom pre-cut
Field Cuttable

Mounting

Inset Mounting Clips

Wiring

24" Leads
48" Leads
Custom length leads
M/F Disconnect Plugs

Feed

End - Standard

Color for Leads & Plugs:
White standard with silver track
Black standard with black track

MT Series orders include:

MT Series housing, lens, end caps
wire grommets & mounting channel

Tested as suitable for use within
clothing closet spaces by ETL/ Intertek

Must be installed in accordance with
NEC 410.16 for use in clothing closet
spaces

See separate installation instructions
Patent Pending - Made in the USA

**PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE**

Component of a complete system including: Aion LED A-Track Light Engine, Aion LED A-Track housing with diffuser lens, & Aion LED driver (power supply). Dimmer not included. Approved dimmers, controls, power supplies, cable, & other components only. Contact Aion LED for questions regarding compatibility. Electrician installed. Strictly adhere to NEC & local building code. Limited 5-year warranty against manufacturing defects only, does not cover labor; voided by: inadequate ventilation, field modifications, installation by unqualified personnel, unapproved controls, drivers, cabling, other devices, not following installation guidelines & protocol, general negligence. Installer assumes all liability with regard to property & safety. This product is UL listed. See separate "Aion LED Warranty Terms" & additional instructional materials for more information. Authorized installers only. Systems tested prior to shipping.




AIONLED.COM | (415) 255-AION

Modified: January 24, 2018


© 2017 Aion LED. All Rights Reserved

PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

**MT101
HOUSING**



Dimensions



Actual Size
Scale 1:1



Lengths


Pre-assembled:
≤ 8 ft. (96 in)

Assembly Required:
> 8 ft. (96 in)

Custom Leads,
Plugs & Connectors

Optic

- Frosted Lens
- Widest Angle
- Mid-Transmittance
- 100% Diffusion



Compatibility

ZERO DIM™
1524-LE

DIM TO GLOW™
1524-CT3022-LE



PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

Component of a complete system including: Aion LED A-Track Light Engine, Aion LED A-Track housing with diffuser lens, & Aion LED driver (power supply). Dimmer not included. Approved dimmers, controls, power supplies, cable, & other components only. Contact Aion LED for questions regarding compatibility. Electrician installed. Strictly adhere to NEC & local building code. Limited 5-year warranty against manufacturing defects only, does not cover labor; voided by: inadequate ventilation, field modifications, installation by unqualified personnel, unapproved controls, drivers, cabling, other devices, not following installation guidelines & protocol, general negligence. Installer assumes all liability with regard to property & safety. This product is UL listed. See separate "Aion LED Warranty Terms" & additional instructional materials for more information. Authorized installers only. Systems tested prior to shipping.

	NAME	LOCATION	SPECIFIER
HOUSING	MT101		
	MT SERIES HOUSING	LENS	FINISH
		Frosted	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Anodized Silver _____ Custom (please specify)
MOUNTING	<input type="checkbox"/> Standard Inset Mounting Clip		
	1524	CT3022	LE
LEADS	POWER LEADS	JUMPER W/ DISCONNECT PLUGS	HARD WIRED JUMPERS
	<input type="checkbox"/> CT-A 2 4 White 24" <input type="checkbox"/> CT-B-A 2 4 Black 24" <input type="checkbox"/> CT-A Custom	<input type="checkbox"/> CT-B-P 4 White <input type="checkbox"/> CT-B-B-P 4 Black <input type="checkbox"/> CT-B-P Custom	<input type="checkbox"/> CT-C 4 White <input type="checkbox"/> CT-B-C 4 Black <input type="checkbox"/> CT-C Custom
REFERENCE LEADS & PLUGS CONFIGURATION TYPES PAGE			
DRIVER	X DMX, 2 CHANNEL	AX5 DMX CONTROLLER	DYNAMIC TUNER MODULE & IOS APP
	<input type="checkbox"/> D100-X2	<input type="checkbox"/> AX5-2 <input type="checkbox"/> D12-M	<input type="checkbox"/> Configuration A No Keypad <input type="checkbox"/> Configuration B Aion LED Keypad <input type="checkbox"/> Configuration C Authorized 3rd Party Control

Required Fixture Lengths

Please input fixture lengths/ quantity & configuration types

ZONE	LENGTH	QUANTITY	CONFIGURATION TYPE

Notes

Refer to Light Engine Data Sheets for Light Engine Increments.

Track is cut to exact length (1/8" tolerance)

Allow tolerance for wiring/ plugs

Fixtures up to Class 2 max. length

Custom Lengths

Fully assembled up to ≤ 8 ft. (96 in).

Fixtures > 8 ft. (96 in) may require assembly at the job site.

SIGNATURE (Required if Final Lengths)

Final Order Lengths*

Budgetary only, requires field verification

Component of a complete system including: Aion LED A-Track Light Engine, Aion LED A-Track housing with diffuser lens, & Aion LED driver (power supply). Dimmer not included. Approved dimmers, controls, power supplies, cable, & other components only. Contact Aion LED for questions regarding compatibility. Electrician installed. Strictly adhere to NEC & local building code. Limited 5-year warranty against manufacturing defects only, does not cover labor; voided by: inadequate ventilation, field modifications, installation by unqualified personnel, unapproved controls, drivers, cabling, other devices, not following installation guidelines & protocol, general negligence. Installer assumes all liability with regard to property & safety. This product is UL listed. See separate "Aion LED Warranty Terms" & additional instructional materials for more information. Authorized installers only. Systems tested prior to shipping.