


#### PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

#### MT Series







# Compact, Low Profile High Rendering, 100% Diffusion

## Trimless, No Visible Hardware

Trimless appearance for recessed applications and millwork

### Made in USA

Fabricated with high quality American aluminum and premium UV stable optics

## **Custom Lengths**

Pre-assembled:  $\leq 8$  ft. (96 in) Assembly Required: > 8 ft. (96 in) Must be installed in accordance with NEC 410.16 for use in clothing closet spaces



See separate installation instructions Patent Pending - Made in the USA

#### PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE



#### PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

## **Customization Options**

MT Series fixtures are semi custom and made to order.

Lens

Frosted

Finish

Anodized Silver Custom Color Length

Custom pre-cut Field Cuttable

Mounting

Standard Magnetic Wiring

24" Leads48" LeadsCustom length leadsM/F Disconnect Plugs

Color for Leads & Plugs: White standard with silver track Black standard with black track Feed

End

MT Series orders include:

MT Series housing, lens, end caps wire grommets & mounting channel

Tested as suitable for use within clothing closet spaces by ETL/ Intertek

Must be installed in accordance with NEC 410.16 for use in clothing closet spaces






See separate installation instructions Patent Pending - Made in the USA




#### PRELIMINARY SPECIFICATION, SUBJECT TO CHANGE WITHOUT NOTICE

## MT101 HOUSING



## **Dimensions**



Actual Size Scale 1:1



## Lengths

Pre-assembled:

 $\leq$  8 ft. (96 in)

Assembly Required:

> 8 ft. (96 in)


Custom Leads, Plugs & Connectors

# Optic

Frosted Lens Widest Angle Mid-Transmittance 100% Diffusion







# Compatibility

ZERC' DIM™

1524-LE

DIM TO GLOW"

1524-CT3022-LE